

Computational Intelligence

Lecture 14: Multi-Layer Perceptron

Farzaneh Abdollahi

Department of Electrical Engineering

Amirkabir University of Technology

Fall 2010

Linearly Nonseparable Pattern Classification

Error Back Propagation Algorithm

Feedforward Recall and Error Back-Propagation

Multilayer Neural Nets as Universal Approximators

Learning Factors

Initial Weights

Error

Training versus Generalization

Necessary Number of Patterns for Training set

Necessary Number of Hidden Neurons

Learning Constant

Steepness of Activation Function

Batch versus Incremental Updates

Normalization

Offline versus Online Training

Levenberg-Marquardt Training

Linearly Nonseparable Pattern Classification

- ▶ A single layer network can find a linear discriminant function.
- ▶ Nonlinear discriminant functions for linearly nonseparable function can be considered as piecewise linear function
- ▶ The piecewise linear discriminant function can be implemented by a multilayer network
- ▶ The pattern sets \dagger_1 and \dagger_2 are **linearly nonseparable**, if no weight vector w exists s.t

$$y^T w > 0 \text{ for each } y \in \dagger_1$$

$$y^T w < 0 \text{ for each } y \in \dagger_2$$

Example XOR

- XOR is nonseparable

x_1	x_2	Output
1	1	1
1	0	-1
0	1	-1
0	0	1


- At least two lines are required to separate them
- By choosing proper values of weights, the decision lines are

$$-2x_1 + x_2 - \frac{1}{2} = 0$$


$$x_1 - x_2 - \frac{1}{2} = 0$$

- output of the first layer network:

$$o_1 = \text{sgn}\left(-2x_1 + x_2 - \frac{1}{2}\right) \quad o_2 = \text{sgn}\left(x_1 - x_2 - \frac{1}{2}\right)$$




(a)



(b)

Symbol	Pattern Space		Image Space		TLU #3 Input	Output Space	Class Number
	x_1	x_2	o_1	o_2	$o_1 + o_2 + 1$	o_3	
A	0	0	-1	-1	-	-1	2
B	0	1	1	-1	+	+1	1
C	1	0	-1	1	+	+1	1
D	1	1	-1	-1	-	-1	2

(a)




- ▶ The main idea of solving linearly nonseparable patterns is:
 - ▶ the set of linearly nonseparable pattern is mapped into the image space where it becomes linearly separable.
 - ▶ This can be done by proper selecting weights of the first layer(s)
 - ▶ Then in the next layer they can be easily classified
- ▶ Increasing # of neurons in the middle layer increases # of lines.
 - ▶ \therefore provides nonlinear and more complicated discriminant functions
- ▶ The pattern parameters and center of clusters are not always known a priori
- ▶ \therefore A stepwise supervised learning algorithm is required to calculate the weights

Delta Learning Rule for Feedforward Multilayer Perceptron

- ▶ The training algorithm is called **error back propagation (EBP) training algorithm**
- ▶ If a submitted pattern provides an output far from desired value, the weights and thresholds are adjusted s.t. the current mean square classification error is reduced.
- ▶ The training is continued/repeated for all patterns until the training set provide an acceptable overall error.
- ▶ Usually the mapping error is computed over the full training set.
- ▶ EBP alg. is working in two stages:
 1. The trained network operates **feedforward** to obtain output of the network
 2. The weight adjustment propagate **backward** from output layer through hidden layer toward input layer.

Multilayer Perceptron

- ▶ input vec. z
- ▶ output vec. o
- ▶ output of first layer, input of hidden layer y
- ▶ activation fcn.
 $\Gamma(.) = \text{diag}\{f(.)\}$



Feedforward Recall

- ▶ Give training pattern vector z , result of this phase is computing the output vector o (for two layer network)
 - ▶ Output of first layer: $y = \Gamma[Vz]$ (the internal mapping $z \rightarrow y$)
 - ▶ Output of second layer: $o = \Gamma[Wy]$
 - ▶ Therefore:

$$o = \Gamma[W\Gamma[Vz]]$$

- ▶ Since the activation function is assumed to be fixed, **weights** are the only parameters should be adjusted by training to map $z \rightarrow o$ s.t. o matches d
- ▶ The weight matrices W and V should be adjusted s.t. $\|d - o\|^2$ is min.

Back-Propagation Training

- ▶ Training is started by feedforward recall phase
- ▶ The error signal vector is determined in the output layer
- ▶ The error is defined for a single perceptron is generalized to include all squared error at the outputs $k = 1, \dots, K_1$

$$E_p = \frac{1}{2} \sum_{k=1}^K (d_{pk} - o_{pk})^2 = \frac{1}{2} \|d_p - o_p\|^2$$

- ▶ p : p th pattern
- ▶ d_p : desired output for p th pattern
- ▶ Bias is the j th weight corresponding to j th input $y_j = -1$
- ▶ Then it propagates toward input layer
- ▶ The weights should be updated from output layer to hidden layer

Back-Propagation Training

- Recall the learning rule of continuous perceptron (it is so-called delta learning rule)

$$\Delta w_{kj} = -\eta \frac{\partial E}{\partial w_{kj}}$$

p is skipped for brevity.

- for each neuron in layer k :

$$\begin{aligned} net_k &= \sum_{j=1}^J w_{kj} y_j \\ o_k &= f(net_k) \end{aligned}$$

- Define the **error signal term**

$$\delta_{ok} = -\frac{\partial E}{\partial (net_k)} = (d_k - o_k) f'(net_k), \quad k = 1, \dots, K$$

- $\therefore \Delta w_{kj} = -\eta \frac{\partial E}{\partial (net_k)} \frac{\partial (net_k)}{\partial w_{kj}} = \eta \delta_{ok} y_j$ for $k = 1, \dots, K, j = 1, \dots, J$

- $$\begin{aligned}\Delta v_{ji} &= -\eta \frac{\partial E}{\partial v_{ji}} \\ \frac{\partial E}{\partial v_{ji}} &= \frac{\partial E}{\partial net_i} \frac{\partial net_j}{\partial v_{ji}}, i = 1, \dots, n \quad j = 1, \dots, n\end{aligned}$$

- ◀ ◻ ▶ ◀ ◻ ▶ ◀ ≡ ▶ ◀ ≡ ▶ ≡

- Despite of the output layer where net_k affected the k th neuron output only, net_j contributes to **every** K terms of error $E = \frac{1}{2} \sum_{k=1}^R (d_k - o_k)^2$

$$\begin{aligned}\delta_{yj} &= -\frac{\partial E}{\partial y_j} \cdot \frac{\partial y_j}{\partial net_j} \\ \frac{\partial y_j}{\partial net_j} &= f'(net_j) \\ \frac{\partial E}{\partial y_j} &= -\sum_{k=1}^R (d_k - o_k) f'(net_k) \frac{\partial net_k}{\partial y_j} = -\sum_{k=1}^R \delta_{ok} w_{kj}\end{aligned}$$

- \therefore The updating rule is

$$\Delta v_{ji} = \eta f'(net_j) z_i \sum_{k=1}^R \delta_{ok} w_{kj} \quad (1)$$

- So the delta rule for hidden layer is:

$$\Delta v = \eta \delta x \quad (2)$$

where η is learning const., δ is layer error, and x is layer input.


- The weights of j th layer is proportional to the weighted sum of all δ of next layer.
- Delta training rule of output layer and generalized delta learning rule for hidden layer have fairly uniform formula.
- But
 - $\delta_o = (d_k - o_k)o_k(1 - o_k)$ contains scalar entries, contains error between desired and actual output times derivative of activation function
 - $\delta_y = w_j \delta_o f' y$ contains the weighted sum of contributing error signal δ_o produced by the following layer
 - The learning rule propagates the error back by one layer

Back-Propagation Training

- Assuming sigmoid activation function, its time derivative is

$$f'(net) = \begin{cases} o(1-o) & \text{unipolar : } f(net) = \frac{1}{1+\exp(-\lambda net)}, \lambda = 1 \\ \frac{1}{2}(1-o^2) & \text{bipolar : } f(net) = \frac{2}{1+\exp(-\lambda net)} - 1, \lambda = 1 \end{cases}$$

- After all training patterns are applied, the learning procedure stops when the final error is below the upper bound E_{max}
- In fig next page, the shaded path refers to feedforward path and blank path is Back-Propagation (BP) mode



block diagram illustrating forward and backward signal flow.

Error Back-Propagation Training Algorithm

- ▶ Given P training pairs $\{z_1, d_1, z_2, d_2, \dots, z_p, d_p\}$ where z_i is $(I \times 1)$, d_i is $(K \times 1)$, $i = 1, \dots, P$
 - ▶ The I th component of each z_i is of value -1 since input vectors are augmented .
- ▶ Size $J - 1$ of the hidden layer having outputs y is selected.
 - ▶ J th component of y is -1, since hidden layer have also been augmented.
 - ▶ y is $(J \times 1)$ and o is $(K \times 1)$
- ▶ In the following, q is training step and p is step counter within training cycle.
 1. Choose $\eta > 0$, $E_{max} > 0$
 2. Initialized weights at small random values, W is $(K \times J)$, V is $(J \times I)$
 3. Initialize counters and error: $q \leftarrow 1$, $p \leftarrow 1$, $E \leftarrow 0$
 4. Training cycle begins here. Set $z \leftarrow z_p$, $d \leftarrow d_p$,
 $y_j \leftarrow f(v_j^t z)$, $j = 1, \dots, J$ (v_j a column vector, j th row of V)
 $o \leftarrow f(w_k^t y)$, $k = 1, \dots, K$ (w_k a column vector, k th row of W)(f (net) is sigmoid function)

Error Back-Propagation Training Algorithm Cont'd

5. Find error: $E \leftarrow \frac{1}{2}(d - o)^2 + E$ for $k = 1, \dots, K$
6. Error signal vectors of both layers are computed. δ_o (output layer error) is $K \times 1$, δ_y (hidden layer error) is $J \times 1$
 $\delta_{ok} = \frac{1}{2}(d_k - o_k)(1 - o_k^2)$, for $k = 1, \dots, K$
 $\delta_{yj} = \frac{1}{2}(1 - y_j^2) \sum_{k=1}^K \delta_{ok} w_{kj}$, for $j = 1, \dots, J$
7. Update weights:
 - Output $w_{kj} \leftarrow w_{kj} + \eta \delta_{ok} y_j$, $k = 1, \dots, K$ $j = 1, \dots, J$
 - Hidden layer $v_{ji} \leftarrow v_{ji} + \eta \delta_{yj} z_j$, $j = 1, \dots, J$ $i = 1, \dots, I$
8. If $p < P$ then $p \leftarrow p + 1$, $q \leftarrow q + 1$, go to step 4, otherwise, go to step 9.
9. If $E < E_{max}$ the training is terminated, otherwise $E \leftarrow 0$, $p \leftarrow 1$ go to step 4 for new training cycle.

- ▶ Some other theorems have been given some hints on choosing activation functions (Lee & Kil 1991, Chen 1991, Cybenko 1989)
- ▶ **Cybenko Theorem** Let I_n denote the n -dimensional unit cube, $[0, 1]^n$. The space of continuous functions on I_n is denoted by $C(I_n)$. Let g be any continuous sigmoidal function of the form

$$g \rightarrow \begin{cases} 1 & \text{as } t \rightarrow \infty \\ 0 & \text{as } t \rightarrow -\infty \end{cases}$$

Then the finite sums of the form

$$F(x) = \sum_{i=1}^N v_i g\left(\sum_{j=1}^n w_{ij}^T x_j + \theta\right)$$


are dense in $C(I_n)$. In other words, given any $f \in C(I_n)$ and $\epsilon > 0$, there is a sum $F(x)$ of the above form for which

$$|F(x) - f(x)| < \epsilon \quad \forall x \in I_n$$

- ▶ MLP can provide all the conditions of Cybenko theorem
 - ▶ θ is bias
 - ▶ w_{ij} is weights of input layer
 - ▶ v_i is output layer weights
- ▶ Failures in approximation can be attribute to
 - ▶ Inadequate learning
 - ▶ Inadequate # of hidden neurons
 - ▶ Lack of deterministic relationship between the input and target output
- ▶ If the function to be approximated is not bounded, there is no guarantee for acceptable approximation

Example Cont'd, Experiment 1

- ▶ Using 10 training points which are informally spread in lower half of first plane
- ▶ The training is stopped at error 0.01 after 2080 steps
- ▶ $\eta = 0.2$
- ▶ The weights are $W = [0.03 \ 3.66 \ 2.73]^T$,
 $V = \begin{bmatrix} -1.29 & -3.04 & -1.54 \\ 0.97 & 2.61 & 0.52 \end{bmatrix}$
- ▶ Magnitude of error associated with each training pattern are shown on the surface
- ▶ Any generalization provided by trained network is questionable.




Example Cont'd, Experiment 2

- ▶ Using the same architecture but with 64 training points covering the entire domain
- ▶ The training is stopped at error 0.02 after 1200 steps
- ▶ $\eta = 0.4$
- ▶ The weights are

$$W = [-3.74 \quad -1.8 \quad 2.07]^T,$$

$$V = \begin{bmatrix} -2.54 & -3.64 & 0.61 \\ 2.76 & 0.07 & 3.83 \end{bmatrix}$$
- ▶ The mapping is reasonably accurate
- ▶ Response at the boundary gets worse.



Example Cont'd, Experiment 3

- ▶ Using the same set of training points and a NN with 10 hidden neurons
- ▶ The training is stopped at error 0.015 after 1418 steps

▶ $\eta = 0.4$


- ▶ The weights are

$$W = \begin{bmatrix} -2.22 & -0.3 & -0.3 & -0.47 & 1.49 \\ -0.23 & 1.85 & -2.07 & -0.24 & 0.79 & -0.15 \end{bmatrix}^T,$$

$$V =$$

$$\begin{bmatrix} 0.57 & 0.66 & -0.1 & -0.53 & 0.14 & 1.06 & -0.64 & -3.51 & -0.03 & 0.01 \\ 0.64 & -0.57 & -1.13 & -0.11 & -0.12 & -0.51 & 2.94 & 0.11 & -0.58 & -0.89 \end{bmatrix}$$

- ▶ The result is comparable with previous case
- ▶ But more CPU time is required!!.



Initial Weights

- ▶ They are usually selected at small random values. (between -1 and 1 or -0.5 and 0.5)
- ▶ They affect finding local/global min and speed of convergence
- ▶ Choosing them too large saturates network and terminates learning
- ▶ Choosing them too small decreases the learning rate.
- ▶ They should be chosen s.t do not make the activation function or its derivative zero
- ▶ If all weights start with equal values, the network may not train properly.
- ▶ Some improper inial weights may result in increasing the errors and decreasing the quality of mapping.
- ▶ At these cases the network learning should be restarted with new random weights.

Error

- ▶ The training is based on min error
- ▶ In delta rule algorithm, Cumulative error is calculated

$$E = \frac{1}{2} \sum_{p=1}^P \sum_{k=1}^R (d_{pk} - o_{pk})^2$$
- ▶ Sometimes it is recommended to use $E_{rms} = \frac{1}{pk} \sqrt{(d_{pk} - o_{pk})^2}$
- ▶ If output should be discreet (like classification), activation function of output layer is chosen TLU, so the error is

$$E_d = \frac{N_{err}}{pk}$$

where N_{err} : # bit errors, p : # training patterns, and k # outputs.

- ▶ E_{max} for discreet output can be zero, but in continuous output may not be.

Training versus Generalization

- ▶ If learning takes long, network loses the generalization capability. In this case it is said, the network **memorizes** the training patterns
- ▶ To avoid this problem, Hecht-Nielsen (1990) introduces training-testing pattern (T.T.P)
 - ▶ Some specific patterns named T.T.P is applied during training period.
 - ▶ If the error obtained by applying the T.T.P is decreasing, the training can be continued.
 - ▶ Otherwise, the training is terminated to avoid memorization.

Necessary Number of Patterns for Training set

- ▶ Roughly, it can be said that there is a relation between number of patterns, error, and number weights to be trained
- ▶ It is reasonable to say number of required patterns (P) depends
 - ▶ directly to # of parameters to be adjusted (weights) (W)
 - ▶ inversely to acceptable error (e)
- ▶ Beam and Hausler (1989) proposed the following relation

$$P > \frac{32W}{e} \ln \frac{32M}{e}$$

where M is # of hidden layers

▶ Date Representation

- ▶ For discrete (I/O) pairs it is recommended to use bipolar data rather than binary data
 - ▶ Since zero values of input does not contribute in learning
- ▶ For some applications such as identification and control of systems, I/O patterns should be continuous

Necessary Number of Hidden Neurons

- ▶ There is no clear and exact rule due to complexity of the network mapping and nondeterministic nature of many successfully completed training procedure.
- ▶ # neurons depends on the function to be approximated.
 - ▶ Its degree of nonlinearity affects the size of network
- ▶ Note that considering large number of neurons and layers may cause **overfitting** and decrease the generalization capability
- ▶ **Number of Hidden Layers**
 - ▶ Based on the universal approximation theorem one hidden layer is sufficient for a BP to approximate any continuous mapping from the input patterns to the output patterns to an arbitrary degree of accuracy.
 - ▶ More hidden layers may make training easier in some situations or too complicated to converge.

Learning Constant

- ▶ Obviously, convergence of error BP alg. depends on the value of η
- ▶ In general, optimum value of η depends on the problem to be solved
- ▶ When broad minima yields small gradient values, larger η makes the convergence more rapid.
- ▶ For steep and narrow minima, small value of η avoids overshooting and oscillation.
- ▶ $\therefore \eta$ should be chosen experimentally for each problem
- ▶ Several methods has been introduced to adjust learning const. (η).
- ▶ **Adaptive Learning Rate in MATLAB** adjusts η based on increasing/decreasing error

- ▶ The second term is called **momentum term**
- ▶ If the gradients in two consecutive steps have the same sign, the momentum term is pos. and the weight is changed more
- ▶ Otherwise, the weights are changed less, but in direction of momentum
- ▶ \therefore its direction is corrected

- ▶ Start form A'
- ▶ Gradient of A' and A'' have the same signs
- ▶ \therefore the convergence speeds up
- ▶ Now start form B'
- ▶ Gradient of B' and B'' have the different signs
- ▶ $\frac{\partial E}{\partial w_2}$ does not point to min
- ▶ adding momentum term corrects the direction towards min
- ▶ \therefore If the gradient in two consecutive step changes the sign, the learning const. should decrease in those directions (Jacobs 1988)




Illustration of adding the momentum term in error back-propagation training two-dimensional case.

Steepness of Activation Function


- If we consider $\lambda \neq 1$ is activation function

$$f(net) = \frac{2}{1 + \exp(-\lambda net)} - 1$$

- Its time derivative will be

$$f'(net) = \frac{2\lambda \exp(-\lambda net)}{[1 + \exp(-\lambda net)]^2}$$

- max of $f(net)$ when $net = 0$ is $\lambda/2$
- In BP alg: $\Delta w_{ki} = -\eta \delta_{ok} y_j$ where $\delta_{ok} = e f'(net_k)$
- \therefore The weights are adjusted in proportion to $f'(net)$
- slope of $f(net)$ (λ) affects the learning.



- ▶ The weights connected to the units responding in their mid-range are changed the most
- ▶ The units which are saturated change less.
- ▶ In some MLP, the learning constant is fixed and by adapting λ accelerate the error convergence (Rezgui 1991).
- ▶ But most commonly, $\lambda = 1$ are fixed and the learning speed is controlled by η

Batch versus Incremental Updates

- ▶ **Incremental updating:** a small weights adjustment follows after each presentation of the training pattern.
 - ▶ **disadvantage:** The network trained this way, may be skewed toward the most recent patterns in the cycle.
- ▶ **Batch updating:** accumulate the weight correction terms for several patterns (or even an entire epoch (presenting all patterns)) and make a single weight adjustment equal to the average of the weight correction terms:

$$\Delta w = \sum_{p=1}^P \Delta w_p$$

- ▶ **disadvantages:** This procedure has a smoothing effect on the correction terms which in some cases, it increases the chances of convergence to a local min.

Normalization

- ▶ IF I/O patterns are distributed in a wide range, it is recommended to normalize them before use for training.
- ▶ Recall time derivative of sigmoid activation fcn:

$$f'(net) = \begin{cases} o(1-o) & \text{unipolar : } f(net) = \frac{1}{1+\exp(-\lambda net)}, \lambda = 1 \\ \frac{1}{2}(1-o^2) & \text{bipolar : } f(net) = \frac{2}{1+\exp(-\lambda net)} - 1, \lambda = 1 \end{cases}$$

- ▶ It appears in δ for updating the weights.
- ▶ If output of sigmoid fcn gets to the saturation area, (1 or -1) due to large values of weights or not normalized input data $\rightsquigarrow f'(net) \rightarrow 0$ and $\delta \rightarrow 0$. So the weight updating is stopped.
- ▶ I/O normalization will increase the chance of convergence to the acceptable results.

Offline versus Online Training

► Offline training :

- After the weights converge to the desired values and learning is terminated, the trained feed forward network is employed
- When enough data is available for training and no unpredicted behavior is expected from the system, offline training is recommended.

► Online training:

- Updating the weights and performing the network is simultaneously.
- In online training NN can adapt it self with unpredicted changing behavior of the system.
- Learning the the weights convergence should be fast to avoid undesired performance.
- For exp. if NN is employed as a controller and is not trained fast, it may lead to instability
- If there is enough data it is suggested to train NN offline and use the trained weight as initial weights in online training to facilitate the training

Levenberg-Marquardt Training [1]

- ▶ The LevenbergMarquardt algorithm (LMA) provides a numerical solution to the problem of minimizing a function
- ▶ It interpolates between the GaussNewton algorithm (GNA) and gradient descent method.
- ▶ The LMA is more robust than the GNA,
 - ▶ It will find the solution even if the initial values are very far off the final minimum.
- ▶ In many cases LMA converges faster than gradient decent method.
- ▶ LMA is a compromise between the speed of GNA and guaranteed convergence of gradient alg. decent
- ▶ Recall the error is defined as sum of squares function for
$$E = \frac{1}{2} \sum_{k=1}^K \sum_{p=1}^P e_{pk}^2, e_{pk} = d_{pk} - o_{pk}$$
- ▶ The learning rule based on gradient decent alg is $\Delta w_{kj} = -\eta \frac{\partial E}{\partial w_{kj}}$

GNA method:

- Define $x = [w_{11}^1 \ w_{12}^1 \ \dots w_{nm}^1 w_{11}^2 \ \dots w_{nm}^P]$, $e = [e_{11}, \dots, e_{PK}]$

$$\text{Let Jacobian matrix } J = \begin{bmatrix} \frac{\partial e_{11}}{\partial w_{11}^1} & \frac{\partial e_{11}}{\partial w_{12}^1} & \dots & \frac{\partial e_{11}}{\partial w_{1m}^1} & \dots \\ \frac{\partial e_{21}}{\partial w_{11}^1} & \frac{\partial e_{21}}{\partial w_{12}^1} & \dots & \frac{\partial e_{21}}{\partial w_{1m}^1} & \dots \\ \vdots & \vdots & \vdots & \vdots & \vdots \\ \frac{\partial e_{P1}}{\partial w_{11}^1} & \frac{\partial e_{P1}}{\partial w_{12}^1} & \dots & \frac{\partial e_{P1}}{\partial w_{1m}^1} & \dots \\ \frac{\partial e_{12}}{\partial w_{11}^1} & \frac{\partial e_{12}}{\partial w_{12}^1} & \dots & \frac{\partial e_{12}}{\partial w_{1m}^1} & \dots \\ \vdots & \vdots & \vdots & \vdots & \vdots \end{bmatrix}$$

- and Gradient $\nabla E(x) = J^T(x)e(x)$
- Hessian Matrix $\nabla^2 E(x) \simeq J^T(x)J(x)$

- Then GNA updating rule is

$$\Delta x = -[\nabla^2 E(x)]^{-1} \nabla E(x) = -[J^T(x)J(x)]^{-1} J^T(x)e$$

Marquardt-Levenberg Alg

$$\Delta x = -[J^T(x)J(x) + \mu I]^{-1}J^T(x)e \quad (3)$$

- ▶ μ is a scalar
 - ▶ If μ is small, LMA is closed to GNA
 - ▶ If μ is large, LMA is closed to gradient decent
- ▶ In NN μ is adjusted properly
- ▶ for training with LMA, batch update should be applied

Marquardt-Levenberg Training Alg

1. Define an initial values for $\mu, \beta > 1$, and E_{max}
2. Present all inputs to the network and compute the corresponding network outputs, and errors. Compute the sum of squares of errors over all inputs E .
3. Compute the Jacobian matrix J
4. Find Δx using (3)
5. Recompute the sum of squares of errors, E using $x + \Delta x$
6. If this new E is larger than that computed in step 2, then increase $\mu = \mu \times \beta$ and go back to step 4.
7. If this new E is smaller than that computed in step 2, then $\mu = \mu / \beta$, let $x = x + \Delta x$,
8. If $E < E_{max}$ stop; otherwise go back to step 2.



M. T. Hagan and M. B. Menhaj.

Training feedforward networks with the marquardt algorithm.

IEEE Trans. on Neural Networks, vol. 5, no 6 , pages 989–993,
Nov. 1994.